

Recombinant Human Periostin (POSTN)

Catalog No.: TP05076

50µg

Sequence Information

Species: Human

Gene ID:10631

Swiss Prot:Q15063

Synonyms:Osteoblast-specific factor
2;OSF-2;POSTN; Periostini

Residues:Asn22-Gln836

NNHYDKILAHSRIRGRDQGNVNCALQQILGTKKKYFSTCKNWKYSICGQKTTV
LYECCPGYMRMEGMKCPAVLPIDHVYGTLGIVGATTTQRYSDASKLREEIEGK
GSFTYFAPSNEAWNDLSDIRRGLESNVNVELLNALHSHMINKRMLTKDLKNGM
IIPSMYNNLGLFINHYPNGVVTVNCARIIHGNQIATNGVVHVIDRVL TQIGTSI
QDFIEAEDDLSSFRAAAITS DILEALGRDGHFTLFAPTNEAFEKLP RGVLERIM
GDKVASEALMKYHILNLTQCSSESIMGGAVFETLEGNTIEIGCDGDSITVNGIKM
VNKKDIVTNGVIHLIDQVLPDSAKQVIELAGKQQTTFDLVAQLGLASALRP
DGEYTL LAPVNNAFSDDTLSMDQRLKLI LQNHILKVKVGLNELYNGQILETIG
GKQLRVFVYRTAVCIENSCMEKSKQGRNGAIHIFREI I KPAEKSLHEK LKQDK
RFSTFLSLLEAADLKELLTQPGDWT L FVPTNDAFKGMTSEEKEILIRDKNALQN
IILYHLTPGVFIGKGFEPGVTN I LKTTQGSKIFLKEVNDTLLVNELKSKESDIM
TTNGVIHVVDKLLYPADTPVGNDQ LLEILNKLIKYIQIKFVRGSTFKEIPVTVY
TTKIITKVVEPKIKVIEGSLQPIIKTEGPTLTKVKIEGEPEFRLIKEGETITEV
IHGEPIIKKYTKIIDGVPVEITEKETREERIITGPEIKYTRISTGGGETEETLK
KLLQEEVTKVTKFIEGGDGH L FEDEEIKRLLQGDTPVRKLQANKKVQGSRRRLR
EGRSQ

Product Information

Source: Eukaryotic expression.

Host: 293F cell

Tags: C-terminal His-Tag

Subcellular Location: Cell membrane.

Purity: >95%

Traits: Freeze-dried powder

Buffer formulation: PBS, pH7.4, containing 0.01% SKL, 1mM DTT, 5% Trehalose and Proclin300.

Original Concentration: 1000 μ g/mL

Applications: Positive Control; Immunogen; SDS-PAGE; WB.

(May be suitable for use in other assays to be determined by the end user.)

Predicted isoelectric point: 7.6

Predicted Molecular Mass: 100kDa

Accurate Molecular Mass: 100kDa as determined by SDS-PAGE reducing conditions.

[USAGE]

Reconstitute in ddH₂O to a concentration of 0.1-0.5 mg/mL. Do not vortex.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

[IDENTIFICATION]




Figure 1. SDS-PAGE

[IMPORTANT NOTE]

The kit is designed for in vitro and research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.

