

Recombinant Isthmin-1 (ISM1)

Catalog No.: TP11174 100µg

Sequence Information

Species: Mouse

Swiss Prot: A2ATD1

Gene ID:

Synonyms:Ism1

Residues:Ser30-Tyr454

SDRQDAAAGNNNLNLESDSTSETSFPLSKEAPEEHQVVHQPFPRQRFPPETGHP

SLQRDGPRSFLLDLPNFPDLSKADINGQNPNIQVTIEVVDGPDSEAEKDQHPEN

KPSWSLPAPDWRAWWQRSLSLARTNSGDQDDKYDSTSDDSNFLSVPRGWDRPAP

GHRTFETKEQPEYDSTDGEGDWSLWSVCSVTCGNGNQKRTRSCGYACIATESRT

CDRPNCPGIEDTFRTAATEVSLLAGSEEFNATKLFEVDMDSCERWMSCKSEFLK

KYMHKVINDLPSCPCSYPTEVAYSTADIFDRIKRKDFRWKDASGPKEKLEIYKP

TARYCIRSMLSLESTTLAAQHCCYGDNMQLITRGKGAGTPNLISTEFSAELHYK

VDVLPWIICKGDWSRYNEARPPNNGQKCTESPSDEDYIKQFQEAREY

Product Information

Source: Recombinant expression. Host: *E.coli* Tags: N-terminal His-Tag and SUMO Subcellular Location: Secreted. Purity: >90% Traits: Freeze-dried powder Buffer formulation: PBS, pH7.4, containing 0.01% SKL, 1mM DTT, 5% Trehalose and Proclin300. Original Concentration: 200µg/mL

Applications: Positive Control; Immunogen; SDS-PAGE; WB.

(May be suitable for use in other assays to be determined by the end user.)

Predicted isoelectric point: 4.7

Predicted Molecular Mass: 64.1kDa

Accurate Molecular Mass: 64kDa as determined by SDS-PAGE reducing conditions.

[<u>USAGE</u>]

Reconstitute in ddH_2O to a concentration of 0.1-0.5 mg/mL. Do not vortex.

[STORAGE AND STABILITY]



Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

[IDENTIFICATION]

| KDa | |
|-------------------|---|
| 180 130 100 | = |
| 70 | |
| 65 | |
| 40 | - |
| 35 | |
| 25 | |
| | |
| 15 | |
| | |
| 10 | |

Figure 1. SDS-PAGE

[<u>IMPORTANT NOTE</u>]

The kit is designed for in vitro and research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.