

## Recombinant Tetanus toxin (TETX)

Catalog No.: TP11201

100µg

### Sequence Information

**Species:** CLOTE

**Gene ID:**24255210

**Swiss Prot:**P04958

**Synonyms:**tetX

**Residues:**Pro2-Ala457

PITINNFRYSDPVENNDTIIMMEPPYCKGLDIYYKAFKITDRIWIVPERYEFGTK  
PEDFNPPSSLIEGASEYYDPNYLRTSDSKDRFLQTMVKLFNRIKNNVAGEALLD  
KIINAIPYLGNSYSLLDKFDTNSNSVSFNLLEQDPSGATTKSAMLNLIIIFGPG  
PVLNKNEVRGIVLRVDNKNYFPCRDGFGSIMQMAFCPEYVPTFDNVIENITSLT  
IGKSKYFQDPALLMHელიHVLHGLYGMQVSSHEIIPSKQEIYMQHTYPISAE  
LFTFGGDANLISIDIKNDLYEKTLDYKAIANKLSQVTSNDPNIDIDSYKQI  
YQQKYQFDKDSNGQYIVNEDKFQILYNSIMYGFTIEELGKKFNIKTRLSYFSMN  
HDPVKIPNLLDDTIYNDTEGFNIESKDLKSEYKQNMVRVNTNAFRNVDGSGLV  
KLIGLCKKIIPPTNIRENLNRTA

### Product Information

**Source:** Recombinant expression.

**Host:** *E.coli*

**Tags:** N-terminal His-Tag

**Subcellular Location:** Cytosol.

**Purity:** >90%

**Traits:** Freeze-dried powder

**Buffer formulation:** PBS, pH7.4, containing 0.01% SKL, 1mM DTT, 5% Trehalose and Proclin300.

**Original Concentration:** 200µg/mL

**Applications:** Positive Control; Immunogen; SDS-PAGE; WB.

(May be suitable for use in other assays to be determined by the end user.)

**Predicted isoelectric point:** 5.1

**Predicted Molecular Mass:** 55.6kDa

**Accurate Molecular Mass:** 56kDa as determined by SDS-PAGE reducing conditions.

### [ USAGE ]

Reconstitute in ddH<sub>2</sub>O to a concentration of 0.1-0.5 mg/mL. Do not vortex.

## [ STORAGE AND STABILITY ]

**Storage:** Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

**Stability Test:** The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

## [ IDENTIFICATION ]




Figure 1. SDS-PAGE

## [ IMPORTANT NOTE ]

The kit is designed for in vitro and research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.