

### **Recombinant Protein FAM76A (FAM76A)**

Catalog No.: TP11252 100µg

#### **Sequence Information**

Species: Human

Swiss Prot:Q8TAV0

Gene ID:199870

Synonyms: FA76A

Residues:Met1-Pro307 MAALYACTKCHQRFPFEALSQGQQLCKECRIAHPVVKCTYCRTEYQQESKTNTI CKKCAQNVQLYGTPKPCQYCNIIAAFIGNKCQRCTNSEKKYGPPYSCEQCKQQC AFDRKDDRKKVDGKLLCWLCTLSYKRVLQKTKEQRKHLSSSSRAGHQEKEQYSR LSGGGHYNSQKTLSTSSIQNEIPKKKSKFESITTNGDSFSPDLALDSPGTDHFV IIAQLKEEVATLKKMLHQKDQMILEKEKKITELKADFQYQESQMRAKMNQMEKT HKEVTEOLOAKNRELLKOAAALSKSKKSEKSGAITSP

#### **Product Information**

Source: Recombinant expression. Host: *E.coli* Tags: N-terminal His-Tag Subcellular Location: Nuclear speck. Purity: >90% Traits: Freeze-dried powder Buffer formulation: PBS, pH7.4, containing 0.01% SKL, 1mM DTT, 5% Trehalose and Proclin300.

**Original Concentration:** 200µg/mL

Applications: Positive Control; Immunogen; SDS-PAGE; WB.

(May be suitable for use in other assays to be determined by the end user.)

Predicted isoelectric point: 9.6

#### Predicted Molecular Mass: 38.4kDa

Accurate Molecular Mass: 38kDa as determined by SDS-PAGE reducing conditions.

# [ <u>USAGE</u> ]

Reconstitute in  $ddH_2O$  to a concentration of 0.1-0.5 mg/mL. Do not vortex.

# [ STORAGE AND STABILITY ]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.



Aliquot and store at -80°C for 12 months.

**Stability Test:** The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

## [IDENTIFICATION]

KDa		
180 130 100		
70		
55		
40	_	
35 25		
25	- Andrewson - A	
	and the second se	
15		
	and the second se	
10	and the second se	

Figure 1. SDS-PAGE

## [<u>IMPORTANT NOTE</u>]

The kit is designed for in vitro and research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.