

#### Recombinant Peptidyl-prolyl cis-trans isomerase FKBP8 (FKBP8)

Catalog No.: **TP10436** 100µg

#### **Sequence Information**

Species: Human

Swiss Prot:Q14318

Gene ID:23770

Synonyms:

Residues:Met1-Trp390

MASCAEPSEPSAPLPAGVPPLEDFEVLDGVEDAEGEEEEEEEEEDDLSELPP

LEDMGQPPAEEAEQPGALAREFLAAMEPEPAPAPAPEEWLDILGNGLLRKKTLV

PGPPGSSRPVKGQVVTVHLQTSLENGTRVQEEPELVFTLGDCDVIQALDLSVPL

MDVGETAMVTADSKYCYGPQGRSPYIPPHAALCLEVTLKTAVDGPDLEMLTGQE

RVALANRKRECGNAHYQRADFVLAANSYDLAIKAITSSAKVDMTFEEEAQLLQL

KVKCLNNLAASQLKLDHYRAALRSCSLVLEHQPDNIKALFRKGKVLAQQGEYSE

AIPILRAALKLEPSNKTIHAELSKLVKKHAAQRSTETALYRKMLGNPSRLPAKC

PGKGAWSIPWKW

#### **Product Information**

Source: Recombinant expression.

Host: E.coli

Tags: N-terminal His and TRxA Tag

Subcellular Location: Secreted.

**Purity:** >90%

Traits: Freeze-dried powder

**Buffer formulation:** PBS, pH7.4, containing 0.01% SKL, 1mM DTT, 5% Trehalose and Proclin300.

Original Concentration: 200µg/mL

Applications: Positive Control; Immunogen; SDS-PAGE; WB.

(May be suitable for use in other assays to be determined by the end user.)

Predicted isoelectric point: 4.5

Predicted Molecular Mass: 52.5kDa

Accurate Molecular Mass: 53kDa as determined by SDS-PAGE reducing conditions.

# [ <u>USAGE</u> ]

Reconstitute in  $ddH_2O$  to a concentration of 0.1-0.5 mg/mL. Do not vortex.

# [ STORAGE AND STABILITY ]



Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

**Stability Test:** The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

### [IDENTIFICATION]

KDa	
180	and the second se
130 100	
70	
55	-
40	
35	
35 25	
15	
10	

#### Figure 1. SDS-PAGE

## [ IMPORTANT NOTE ]

The kit is designed for in vitro and research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.