

### Recombinant ATP-dependent 6-phosphofructokinase, liver type (PFKL)

Catalog No.: **TP10446** 100µg

#### **Sequence Information**

Species: Human Swiss Prot:P17858

Residues:Met1-Phe780

Gene ID:5211

Synonyms:PFKAL

MAAVDLEKLRASGAGKAIGVLTSGGDAQGMNAAVRAVTRMGIYVGAKVFLIYEG YEGLVEGGENIKQANWLSVSNIIQLGGTIIGSARCKAFTTREGRRAAAYNLVQH GITNLCVIGGDGSLTGANIFRSEWGSLLEELVAEGKISETTARTYSHLNIAGLV GSIDNDFCGTDMTIGTDSALHRIMEVIDAITTTAQSHQRTFVLEVMGRHCGYLA LVSALASGADWLFIPEAPPEDGWENFMCERLGETRSRGSRLNIIIIAEGAIDRN GKPISSSYVKDLVVQRLGFDTRVTVLGHVQRGGTPSAFDRILSSKMGMEAVMAL LEATPDTPACVVTLSGNQSVRLPLMECVQMTKEVQKAMDDKRFDEATQLRGGSF ENNWNIYKLLAHQKPPKEKSNFSLAILNVGAPAAGMNAAVRSAVRTGISHGHTV YVVHDGFEGLAKGQVQEVGWHDVAGWLGRGGSMLGTKRTLPKGQLESIVENIRI YGIHALLVVGGFEAYEGVLQLVEARGRYEELCIVMCVIPATISNNVPGTDFSLG SDTAVNAAMESCDRIKQSASGTKRRVFIVETMGGYCGYLATVTGIAVGADAAYV FEDPFNIHDLKVNVEHMTEKMKTDIQRGLVLRNEKCHDYYTTEFLYNLYSSEGK GVFDCRTNVLGHLQQGGAPTPFDRNYGTKLGVKAMLWLSEKLREVYRKGRVFAN APDSACVIGLKKKAVAFSPVTELKKDTDFEHRMPREQWWLSLRLMLKMLAQYRI

#### **Product Information**

Source: Recombinant expression. Host: *E.coli* Tags: N-terminal His and GST Tag Subcellular Location: Cytoplasm. Purity: >90% Traits: Freeze-dried powder Buffer formulation: PBS, pH7.4, containing 0.01% SKL, 1mM DTT, 5% Trehalose and Proclin300. Original Concentration: 200µg/mL

Applications: Positive Control; Immunogen; SDS-PAGE; WB.

(May be suitable for use in other assays to be determined by the end user.)



Predicted isoelectric point: 7.5 Predicted Molecular Mass: 110.0kDa Accurate Molecular Mass: 110kDa as determined by SDS-PAGE reducing conditions.

# [ <u>USAGE</u> ]

Reconstitute in  $ddH_2O$  to a concentration of 0.1-0.5 mg/mL. Do not vortex.

## [ STORAGE AND STABILITY ]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

**Stability Test:** The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

### [IDENTIFICATION]

KDa	
180 130 100	= _
70	
65	-
40	-
35	and the second s
25	
15	
10	

Figure 1. SDS-PAGE

## [ IMPORTANT NOTE ]

The kit is designed for in vitro and research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.