

## Recombinant Cytochrome P450 4A11 (CYP4A11)

Catalog No.: TP10601 100µg

**Sequence Information** 

Species: Human Gene ID:1579

Swiss Prot:Q02928 Synonyms:CP4AB

Residues:Leu30-Leu519

LLIKAVQLYLHRQWLLKALQQFPCPPSHWLFGHIQELQQDQELQRIQKWVETFP

SACPHWLWGGKVRVQLYDPDYMKVILGRSDPKSHGSYRFLAPWIGYGLLLLNGQ

TWFQHRRMLTPAFHYDILKPYVGLMADSVRVMLDKWEELLGQDSPLEVFQHVSL

MTLDTIMKCAFSHQGSIQVDRNSQSYIQAISDLNNLVFSRVRNAFHQNDTIYSL

TSAGRWTHRACQLAHQHTDQVIQLRKAQLQKEGELEKIKRKRHLDFLDILLLAK

MENGSILSDKDLRAEVDTFMFEGHDTTASGISWILYALATHPKHQERCREEIHS

LLGDGASITWNHLDQMPYTTMCIKEALRLYPPVPGIGRELSTPVTFPDGRSLPK

GIMVLLSIYGLHHNPKVWPNPEVFDPFRFAPGSAQHSHAFLPFSGGSRNCIGKQ

FAMNELKVATALTLLRFELLPDPTRIPIPIARLVLKSKNGIHLRLRRLPNPCED

**KDQL** 

**Product Information** 

**Source:** Recombinant expression.

Host: E.coli

Tags: N-terminal His and SUMO Tag

**Subcellular Location:** Endoplasmic reticulum membrane.

**Purity: >90%** 

**Traits:** Freeze-dried powder

Buffer formulation: PBS, pH7.4, containing 0.01% SKL, 1mM DTT, 5% Trehalose and

Proclin300.

Original Concentration: 200µg/mL

**Applications:** Positive Control; Immunogen; SDS-PAGE; WB.

(May be suitable for use in other assays to be determined by the end user.)

Predicted isoelectric point: 8.9

Predicted Molecular Mass: 72.4kDa

**Accurate Molecular Mass:**72kDa as determined by SDS-PAGE reducing conditions.

[USAGE]



Reconstitute in ddH<sub>2</sub>O to a concentration of 0.1-0.5 mg/mL. Do not vortex.

## [STORAGE AND STABILITY]

**Storage:** Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

**Stability Test:** The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

## [ IDENTIFICATION ]




Figure 1. SDS-PAGE

## [ IMPORTANT NOTE ]

The kit is designed for in vitro and research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.