Recombinant Glucose-6-phosphate Dehydrogenase (G6PD)

Catalog No.: TP13025 100μg

Sequence Information

Species: Rat **Gene ID:24377**

Swiss Prot:P05370 **Synonyms:**Glucose-6-phosphate 1-dehydrogenase

Residues: Met1-Leu515

MAEQVALSRTQVCGILREELYQGDAFHQADTHIFIIMGASGDL
AKKKIYPTIWWLFRDGLLPEDTFIVGYARSRLTVDDIRKQSEP
FFKVTPEERPKLEEFFARNSYVAGQYDDPASYKHLNSHMNALH
QGMQANRLFYLALPPTVYEAVTKNIQEICMSQTGWNRIIVEKP
FGRDLQSSNQLSNHISSLFREDQIYRIDHYLGKEMVQNLMVLR
FANRIFGPIWNRDNIACVILTFKEPFGTEGRGGYFDEFGIIRD
VMQNHLLQMLCLVAMEKPASTDSDDVRDEKVKVLKCISEVETD
NVVLGQYVGNPSGEGEATNGYLDDPTVPHGSTTATFAAAVLYV
ENERWDGVPFILRCGKALNERKAEVRLQFRDVAGDIFHQQCKR
NELVIRVQPNEAVYTKMMTKKPGMFFNPEESELDLTYGNRYKN
VKLPDAYERLILDVFCGSQMHFVRSDELREAWRIFTPLLHKID
REKPQPIPYVYGSRGPTEADELMKRVGFQYEGTYKWVNPHKL

Product Information

Source: Recombinant expression.

Host: *E.coli*

Tags: N-terminal His Tag

Subcellular Location: Cytoplasm, Membrane.

Purity: >90%

Traits: Freeze-dried powder

Buffer formulation: PBS, pH7.4, containing 0.1% SKL, 5% Trehalose.

Original Concentration: 200μg/mL

Applications: Positive Control; Immunogen; SDS-PAGE; WB.

(May be suitable for use in other assays to be determined by the end user.)

Predicted isoelectric point: 6.3

Predicted Molecular Mass: 62.7kDa

Accurate Molecular Mass: 60kDa as determined by SDS-PAGE reducing conditions.

[USAGE]

Reconstitute in ddH_2O to a concentration of 0.1-0.5 mg/mL. Do not vortex.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

[IDENTIFICATION]




Figure 1. SDS-PAGE

[IMPORTANT NOTE]

The kit is designed for in vitro and research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.